



**Date: 30.09.2022**

To The Listing Department, <b>National Stock Exchange of India Limited</b> Exchange Plaza, 5 <sup>th</sup> Floor, Plot No . C/1, G Block, Bandra – Kurla Complex, Bandra East, Mumbai – 400051.  <b>Scrip Code: CCL</b>	To The Corporate Relations Department, <b>BSE Limited,</b> Phiroze Jeejeebhoy Towers, Dalal Street, Mumbai – 400001.  <b>Scrip Code: 519600</b>
--	--

Dear Sir/Madam,

**Subject: Intimation under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 - regarding plant shutdown as part of annual maintenance.**

We would like to inform that we have scheduled a planned annual maintenance shutdown during the month of October, 2022 for a period of 20 days at Spray dried Unit, Duggirala, Andhra Pradesh. This is a regular annual maintenance and there may not be any material impact on the annualized operations.

This is for your information and necessary records.

Regards,  
**For CCL PRODUCTS (INDIA) LIMITED**



Sridevi Dasari  
Company Secretary & Compliance Officer

**CCL PRODUCTS (INDIA) LIMITED**

CORPORATE OFFICE:  
7-1-24/2/D, "Greendale", Ameerpet, Hyderabad - 500016, T.S., India.  
☎ +91 40 2373 0855

REGISTERED OFFICE:  
Duggirala, Guntur Dist. 522330, A.P., India. | CIN L15110AP1961PLC000874  
☎ +91 8644 277294 | ✉ info@continental.coffee | 🌐 www.cclproducts.com 🌐 www.continental.coffee